

# itson


When it's on



**PRODUCT CATALOGUE 2023**



When it's on





# It's on.

TABLE OF CONTENTS

## itsPREMIUM



14

## itsRECHARGE



36

## itsPOWER



20

## itsRECHARGE PRO



30

## itsSPECIALTIES



46

## itsHEARING AID



54

## itsCHARGERS



42

## itsPOWER BANKS



COMING SOON

## itsLIGHTING



COMING SOON

# Advanced Power Solutions

## at a glance

COMPANY



APS is one of the **BIGGEST MANUFACTURERS of CONSUMER BATTERIES** in Europe




Dedication to making a **DIFFERENCE FOR OUR PLANET**  
Aim to become **CARBON NEUTRAL** by 2030.



Take a look at our green actions for a sustainable future.



Long lasting history of **MANUFACTURING EXCELLENCE**



### KEY PRODUCTS:

Alkaline Specialties  
Zinc Carbon Powerbanks  
Ni-MH

SALES



Multi-channel presence & trusted **OEM SUPPLIER**



**Multiple Battery & Mobile Energy Solutions Brand**

CUSTOMERS



**Diversified Customer Base**



CA. 500 Customers in **over 50 countries**



# APS

aps advanced power solutions


# Key Facts

**MANUFACTURING EXCELLENCE** in Europe

**ONE OF THE LARGEST BATTERY MANUFACTURERS**

**MULTI-CHANNEL PRESENCE & TRUSTED OEM SUPPLIER**

retail – wholesale  
discount – e-commerce



**6 HIGH-SPEED PRODUCTION LINES**



**HIGH PRODUCT QUALITY & PERFORMANCE**



**LONG TERM EXPERIENCE**



**SUSTAINABLE SOLUTIONS**

EU production  
Plastic free packaging  
Pre-charged with solar energy




**BATTERY EXPERT**

→ energy solutions  
beyond batteries



**DEDICATED SALES TEAMS ACROSS EUROPE**

Benelux - France - Germany - Italy - Nordics  
Poland - Spain - UK



**Sales & HQ Belgium**

Location: Brussels, Belgium

**Shared Service Center**

Purchase, Sales, Marketing  
Location: Warsaw, Poland

**Factory Poland**

Location: Gniezno, Poland  
Established in: December 15<sup>th</sup>, 1993



# about itson

**Enter the era of sustainable energy solutions.**

Itson moves away from outdated battery technology and opens a new era of sustainable, smart and simple mobile energy solutions. We offer you more and better energy with less environmental impact. Our European batteries are produced with solar panel and windmill energy.

**Come to your full potential with Itson.**

**Change  
your battery,  
change the  
future.**





# alkaline



Our commitment to sustainability and innovation sets us apart from the rest. Every battery we offer features improved performance and highest quality materials to ensure maximum efficiency, no matter what the application.

Our Alkaline batteries are sourced and produced in Europe, drastically reducing our ecological footprint due to less CO<sub>2</sub> emission. Itson batteries are packed in environmental-friendly, plastic free packaging. They are suited for all your devices, from low to high drain.

**ItsPOWER and ItsPREMIUM offer sustainable energy.**



**LOCALLY PRODUCED,**  
with 100% renewable energy <sup>\*1</sup>



<sup>\*1</sup> Valid for AA, AAA, C & D batteries.  
Discover our steps towards more sustainability on [itson.eu/en/about](https://itson.eu/en/about).





## The sustainable power source for high drain use.

We understand the importance of sustainability in today's world and strive to provide our customers with the highest quality EU produced alkaline batteries.

Our ItsPREMIUM alkaline battery is best used for high drain devices. This battery generates a high output voltage to meet the power demands of most portable devices, gaming controllers, children's toys, digital cameras, etc.

Reliability on the go.

# Energy For Play

Best for PLAY



Performance





# its PREMIUM

High quality battery, designed to ensure optimal performance.

ItsPREMIUM batteries are designed to ensure long lasting energy for high drain appliances, even when competition has given up.

Built in safety features ensure a very good leakage resistance and preservation of the battery power, even after several years of storage (at room temperature).



LOCALLY PRODUCED, with 100% renewable energy <sup>\*1</sup>



Best for PLAY




Performance



ItsPREMIUM batteries are available in various sizes and pack versions. Below you find an overview of the available packs:



<sup>\*1</sup> Valid for AA, AAA, C & D batteries. Discover our sustainability program on [ap.solutions/sustainability](http://ap.solutions/sustainability).



**4xAAA**  
ALKALINE 1.5V  
LR03IPR/4CP

**BATTERY**

Diameter 10.5 mm  
Height 44.5 mm  
Weight 11.4 g

**CSU**

Width 83 mm  
Height 120 mm  
Depth 12 mm  
# batteries 4

EAN CSU 5410853067573  
EAN carton 5410853068129

# CSU / inner carton 12  
# CSU / outer carton 60



**4xAA**  
ALKALINE 1.5V  
LR6IPR/4CP

**BATTERY**

Diameter 14.25 mm  
Height 50.5 mm  
Weight 23.5 g

**CSU**

Width 83 mm  
Height 120 mm  
Depth 16 mm  
# batteries 4

EAN CSU 5410853067566  
EAN carton 5410853068112

# CSU / inner carton 12  
# CSU / outer carton 60

# its on!

# its on

When it's on





**8xAAA**  
ALKALINE 1.5V  
LR03IPR/8HH

BATTERY		CSU	
Diameter	10.5 mm	Width	88 mm
Height	44.5 mm	Height	92 mm
Weight	11.4 g	Depth	12 mm
		# batteries	8
EAN CSU		5410853064404	
EAN carton		5410853064480	
# CSU / carton		20	



**8xAAA**  
ALKALINE 1.5V  
LR03IPR/8CB

BATTERY		CSU	
Diameter	10.5 mm	Width	85 mm
Height	44.5 mm	Height	46 mm
Weight	11.4 g	Depth	12 mm
		# batteries	8
EAN CSU		5410853064411	
EAN carton		5410853064497	
# CSU / carton		20	



**10xAAA**  
ALKALINE 1.5V  
LR03IPO/10HH

BATTERY		CSU	
Diameter	10.5 mm	Width	107 mm
Height	44.5 mm	Height	92 mm
Weight	11.4 g	Depth	12 mm
		# batteries	10
EAN CSU		5410853064428	
EAN carton		5410853064503	
# CSU / carton		20	



**10xAAA**  
ALKALINE 1.5V  
LR03IPR/10CB

BATTERY		CSU	
Diameter	10.5 mm	Width	107 mm
Height	44.5 mm	Height	46 mm
Weight	11.4 g	Depth	12 mm
		# batteries	10
EAN CSU		5410853064435	
EAN carton		5410853064510	
# CSU / carton		20	



**8xAA** ALKALINE 1.5V  
LR6IPR/8HH

BATTERY		CSU	
Diameter	14.25 mm	Width	135 mm
Height	50.5 mm	Height	100 mm
Weight	23.5 g	Depth	16 mm
		# batteries	8
EAN CSU		5410853064367	
EAN carton		5410853064442	
# CSU / carton		20	



**8xAA**  
ALKALINE 1.5V  
LR6IPR/8CB

BATTERY		CSU	
Diameter	14.25 mm	Width	117 mm
Height	50.5 mm	Height	53 mm
Weight	23.5 g	Depth	16 mm
		# batteries	8
EAN CSU		5410853064374	
EAN carton		5410853064459	
# CSU / carton		40	



**10xAA** ALKALINE 1.5V  
LR6IPR/10HH

BATTERY		CSU	
Diameter	14.25 mm	Width	145 mm
Height	50.5 mm	Height	100 mm
Weight	23.5 g	Depth	16 mm
		# batteries	10
EAN CSU		5410853064381	
EAN carton		5410853064466	
# CSU / carton		20	



**10xAA**  
ALKALINE 1.5V  
LR6IPR/10CB

BATTERY		CSU	
Diameter	14.25 mm	Width	145 mm
Height	50.5 mm	Height	53 mm
Weight	23.5 g	Depth	16 mm
		# batteries	10
EAN CSU		5410853064398	
EAN carton		5410853064473	
# CSU / carton		40	





## The ideal power source for most devices.

Our ItsPOWER alkaline battery is well suited for most household appliances. Clocks, remote controls, torch lights and all other low to medium drain devices find an ideal power source in this battery. Reinvigorating and reliable.

Our long lasting alkaline batteries are designed to reduce the amount of landfill waste and help the environment. With EU production facilities, it also helps to reduce our impact on our ecological footprint.

Best for HOME



Performance



# Energy For Home



# its POWER

Excellent price versus quality ratio.

The ItsPOWER battery is an ideal solution for commonly used devices, and provides reliable and dependable power at a low cost.

Built in safety features ensure a very good leakage resistance and preservation of the battery power, even after several years of storage (at room temperature).



**LOCALLY PRODUCED,**  
with 100% renewable energy\*1



Best for HOME



Performance



ItsPOWER batteries are available in various sizes and pack versions.  
Below you find an overview of the available packs:



\*1 Valid for AA, AAA, C & D batteries.  
Discover our sustainability program on [ap.solutions/sustainability](http://ap.solutions/sustainability).



**4xAAA**  
ALKALINE 1.5V  
LR03IPO/4CP

### BATTERY

Diameter 10.5 mm  
Height 44.5 mm  
Weight 11.4 g

### CSU

Width 83 mm  
Height 120 mm  
Depth 12 mm  
# batteries 4

EAN CSU 5410853067467  
EAN carton 5410853068013

# CSU / inner carton 12  
# CSU / outer carton 60



**4xAA**  
ALKALINE 1.5V  
LR6IPO/4CP

### BATTERY

Diameter 14.25 mm  
Height 50.5 mm  
Weight 23.5 g

### CSU

Width 83 mm  
Height 120 mm  
Depth 16 mm  
# batteries 4

EAN CSU 5410853067399  
EAN carton 5410853067948

# CSU / inner carton 12  
# CSU / outer carton 60

# its on.

# itson

When it's on





**8xAAA**  
ALKALINE 1.5V  
LR03IPO/8HH

BATTERY		CSU	
Diameter	10.5 mm	Width	88 mm
Height	44.5 mm	Height	92 mm
Weight	11.4 g	Depth	12 mm
		# batteries	8
EAN CSU		5410853067474	
EAN carton		5410853068020	
# CSU / carton		20	



**8xAAA**  
ALKALINE 1.5V  
LR03IPO/8CB

BATTERY		CSU	
Diameter	10.5 mm	Width	85 mm
Height	44.5 mm	Height	46 mm
Weight	11.4 g	Depth	12 mm
		# batteries	8
EAN CSU		5410853067481	
EAN carton		5410853068037	
# CSU / carton		20	



**10xAAA**  
ALKALINE 1.5V  
LR03IPO/10HH

BATTERY		CSU	
Diameter	10.5 mm	Width	107 mm
Height	44.5 mm	Height	92 mm
Weight	11.4 g	Depth	12 mm
		# batteries	10
EAN CSU		5410853067498	
EAN carton		5410853068044	
# CSU / carton		20	



**10xAAA**  
ALKALINE 1.5V  
LR03IPO/10HH  
8+2

BATTERY		CSU	
Diameter	10.5 mm	Width	107 mm
Height	44.5 mm	Height	92 mm
Weight	11.4 g	Depth	12 mm
		# batteries	10
EAN CSU		5410853067504	
EAN carton		5410853068051	
# CSU / carton		20	



**10xAAA**  
ALKALINE 1.5V  
LR03IPO/10CB

BATTERY		CSU	
Diameter	10.5 mm	Width	107 mm
Height	44.5 mm	Height	46 mm
Weight	11.4 g	Depth	12 mm
		# batteries	10
EAN CSU		5410853067511	
EAN carton		5410853068068	
# CSU / carton		20	



**10xAAA**  
ALKALINE 1.5V  
LR03IPO/10CB 8+2

BATTERY		CSU	
Diameter	10.5 mm	Width	107 mm
Height	44.5 mm	Height	46 mm
Weight	11.4 g	Depth	12 mm
		# batteries	10
EAN CSU		5410853067528	
EAN carton		5410853068075	
# CSU / carton		20	



**8xAA** ALKALINE 1.5V  
LR6IPO/8HH

BATTERY		CSU	
Diameter	14.25 mm	Width	135 mm
Height	50.5 mm	Height	100 mm
Weight	23.5 g	Depth	16 mm
		# batteries	8
EAN CSU		5410853067405	
EAN carton		5410853067955	
# CSU / carton		20	



**8xAA** ALKALINE 1.5V  
LR6IPO/8CB

BATTERY		CSU	
Diameter	14.25 mm	Width	117 mm
Height	50.5 mm	Height	53 mm
Weight	23.5 g	Depth	16 mm
		# batteries	8
EAN CSU		5410853067412	
EAN carton		5410853067962	
# CSU / carton		40	



**10xAA** ALKALINE 1.5V  
LR6IPO/10HH



BATTERY		CSU	
Diameter	14.25 mm	Width	145 mm
Height	50.5 mm	Height	100 mm
Weight	23.5 g	Depth	16 mm
		# batteries	10

EAN CSU	5410853067429
EAN carton	5410853067979

# CSU / carton 20

**10xAA** ALKALINE 1.5V  
LR6IPO/10HH 8+2



BATTERY		CSU	
Diameter	14.25 mm	Width	145 mm
Height	50.5 mm	Height	100 mm
Weight	23.5 g	Depth	16 mm
		# batteries	10

EAN CSU	5410853067436
EAN carton	5410853067986

# CSU / carton 20

**10xAA** ALKALINE 1.5V  
LR6IPO/10CB



BATTERY		CSU	
Diameter	14.25 mm	Width	145 mm
Height	50.5 mm	Height	53 mm
Weight	23.5 g	Depth	16 mm
		# batteries	10

EAN CSU	5410853067443
EAN carton	5410853067993

# CSU / carton 40

**10xAA** ALKALINE 1.5V  
LR6IPO/10CB 8+2



BATTERY		CSU	
Diameter	14.25 mm	Width	145 mm
Height	50.5 mm	Height	53 mm
Weight	23.5 g	Depth	16 mm
		# batteries	10

EAN CSU	5410853067450
EAN carton	5410853068006

# CSU / carton 40



**2xC**  
ALKALINE 1.5V  
LR14IPO/2CP

BATTERY		CSU	
Diameter	25.7 mm	Width	83 mm
Height	50 mm	Height	120 mm
Weight	68.7 g	Depth	27 mm
		# batteries	2

EAN CSU	5410853067535
EAN carton	5410853068082

# CSU / inner carton 12  
# CSU / outer carton 60



**2xD**  
ALKALINE 1.5V  
LR20IPO/2CP

BATTERY		CSU	
Diameter	33.6 mm	Width	83 mm
Height	61.5 mm	Height	120 mm
Weight	140.9 g	Depth	35 mm
		# batteries	2

EAN CSU	5410853067542
EAN carton	5410853068099

# CSU / inner carton 12  
# CSU / outer carton 60



**1x9V**  
ALKALINE  
6LR61IPO/1CP

BATTERY		CSU	
Width	25.5 mm	Width	83 mm
Height	47.5 mm	Height	120 mm
Depth	16.5 mm	Depth	18.6 mm
Weight	43.3 g	# batteries	1

EAN CSU	5410853067559
EAN carton	5410853068105

# CSU / inner carton 12  
# CSU / outer carton 60



Since product specifications/availability may differ from country to country, the information contained herein should not be used or relied upon as a substitute for information that is available to you from our local dealers. Please contact your APS sales agent to discuss possibilities.

**itsON**

When it's on



# recharge



Our rechargeable batteries are our most eco-friendly product. They are sustainably produced and precharged with solar energy, drastically cutting carbon emissions. These reliable batteries come in recycled, plastic free packaging.


**Recharge your life,  
repower the future.**



Pre-charged with  
**SOLAR ENERGY**







## Rechargeable batteries for sustainable high drain use.

In a world of technological advancement, consumers are increasingly looking for ways to reduce their environmental footprint. That's why we've spent time researching the best, safest, and most sustainable rechargeable batteries and packaging options on the market today.

ItsRECHARGEpro battery are best used for high drain devices. This rechargeable battery meets the power demands of most portable devices, gaming controllers, children's toys, digital cameras and so forth. The batteries are ready to use, fully powered with solar energy.

Best for PRO



Capacity

**2500** mAh - **930** mAh



# Energy For Pro



# its RECHARGE PRO

Ready to use rechargeable batteries.

ItsRECHARGE PRO batteries can be used immediately after purchase, so they combine the convenience of disposable (alkaline) batteries with the performance and the cost benefits of rechargeable batteries. They are the perfect choice to provide energy for high current consuming devices, and even perform in very low temperatures.

Due to low self-discharge, ItsRECHARGE PRO batteries keep their energy even after several years of storage.



Pre-charged with **SOLAR ENERGY**



Best for PRO



Capacity

**2500 mAh - 930 mAh**



ItsRECHARGE PRO batteries are available in various sizes and pack versions. Below you find an overview of the available packs:



Since product specifications/availability may differ from country to country, the information contained herein should not be used or relied upon as a substitute for information that is available to you from our local dealers. Please contact your APS sales agent to discuss possibilities.

# It's on!

## its on

When it's on





**2xAAA**  
RECHARGEABLE 1.2V  
HHR03-930IT/2CP

BATTERY		CSU	
Diameter	10.5 mm	Width	83 mm
Height	44.5 mm	Height	120 mm
Weight	12.5 g	Depth	12 mm
Capacity	930 mAh	# batteries	2
EAN CSU		5410853067702	
EAN carton		5410853068259	
# CSU / inner carton		12	
# CSU / outer carton		48	



**4xAAA**  
RECHARGEABLE 1.2V  
HHR03-930IT/4CP

BATTERY		CSU	
Diameter	10.5 mm	Width	83 mm
Height	44.5 mm	Height	120 mm
Weight	12.5 g	Depth	12 mm
Capacity	930 mAh	# batteries	4
EAN CSU		5410853067719	
EAN carton		5410853068266	
# CSU / inner carton		12	
# CSU / outer carton		48	



**2xAA**  
RECHARGEABLE 1.2V  
HHR6-2500IT/2CP

BATTERY		CSU	
Diameter	14.35 mm	Width	83 mm
Height	50.4 mm	Height	120 mm
Weight	29.9 g	Depth	16 mm
Capacity	2500 mAh	# batteries	2
EAN CSU		5410853067665	
EAN carton		5410853068211	
# CSU / inner carton		12	
# CSU / outer carton		48	



**4xAA**  
RECHARGEABLE 1.2V  
HHR6-2500IT/4CP

BATTERY		CSU	
Diameter	14.35 mm	Width	83 mm
Height	50.4 mm	Height	120 mm
Weight	29.9 g	Depth	16 mm
Capacity	2500 mAh	# batteries	4
EAN CSU		5410853067672	
EAN carton		5410853068228	
# CSU / inner carton		12	
# CSU / outer carton		48	



**8xAAA**  
RECHARGEABLE 1.2V  
HHR03-930IT/8CB

BATTERY		CSU	
Diameter	10.5 mm	Width	85 mm
Height	44.5 mm	Height	45 mm
Weight	12.5 g	Depth	12 mm
Capacity	930 mAh	# batteries	8
EAN CSU		5410853067733	
EAN carton		5410853068280	
# CSU / carton		20	



**8xAA**  
RECHARGEABLE 1.2V  
HHR6-2500IT/8CB


BATTERY		CSU	
Diameter	14.35 mm	Width	117 mm
Height	50.4 mm	Height	53 mm
Weight	29.9 g	Depth	16 mm
Capacity	2500 mAh	# batteries	8
EAN CSU		5410853067696	
EAN carton		5410853068242	
# CSU / carton		40	

its  
on

itson

When it's on





## Rechargeable batteries powered with solar energy.

ItsRECHARGE batteries are well suited for most household appliances. With a life span of 600 cycles, clocks, remote controls, torch lights and other low to medium drain devices are recharged over and over. These batteries are ready to use, fully powered with solar energy.

# Energy For Play

Best for PLAY



Capacity

**2000** mAh - **800** mAh





# its RECHARGE

Ready to use rechargeable batteries.

ItsRECHARGE batteries can be used immediately after purchase, so they combine the convenience of disposable (alkaline) batteries with the performance and the cost benefits of rechargeable batteries.

Due to low self-discharge, ItsRECHARGE batteries keep their energy even after several years of storage.



Pre-charged with **SOLAR ENERGY**



Best for PLAY



Capacity

**2000 mAh - 800 mAh**



ItsRECHARGE batteries are available in various sizes and pack versions. Below you find an overview of the available packs:



# It's on!



Since product specifications/availability may differ from country to country, the information contained herein should not be used or relied upon as a substitute for information that is available to you from our local dealers. Please contact your APS sales agent to discuss possibilities.

# itson

When it's on





**2xAAA**  
RECHARGEABLE 1.2V  
HHR03-800IT/2CP

BATTERY		CSU	
Diameter	10.5 mm	Width	83 mm
Height	44.5 mm	Height	120 mm
Weight	12.5 g	Depth	12.5 mm
Capacity	800 mAh	# batteries	2

EAN CSU	5410853067627
EAN carton	5410853068174

# CSU / inner carton	12
# CSU / outer carton	48



**4xAAA**  
RECHARGEABLE 1.2V  
HHR03-800IT/4CP

BATTERY		CSU	
Diameter	10.5 mm	Width	83 mm
Height	44.5 mm	Height	120 mm
Weight	12.5 g	Depth	12.5 mm
Capacity	800 mAh	# batteries	4

EAN CSU	5410853067634
EAN carton	5410853068181

# CSU / inner carton	12
# CSU / outer carton	48



**2xAA**  
RECHARGEABLE 1.2V  
HHR6-2000IT/2CP

BATTERY		CSU	
Diameter	14.5 mm	Width	83 mm
Height	50.5 mm	Height	120 mm
Weight	29.9 g	Depth	16.5 mm
Capacity	2000 mAh	# batteries	2

EAN CSU	5410853067580
EAN carton	5410853068136

# CSU / inner carton	12
# CSU / outer carton	48



**4xAA**  
RECHARGEABLE 1.2V  
HHR6-2000IT/4CP

BATTERY		CSU	
Diameter	14.5 mm	Width	83 mm
Height	50.5 mm	Height	120 mm
Weight	29.9 g	Depth	16.5 mm
Capacity	2000 mAh	# batteries	4

EAN CSU	5410853067597
EAN carton	5410853068143

# CSU / inner carton	12
# CSU / outer carton	48



**8xAAA**  
RECHARGEABLE 1.2V  
HHR03-800IT/8CB

BATTERY		CSU	
Diameter	10.5 mm	Width	85 mm
Height	44.5 mm	Height	45 mm
Weight	12.5 g	Depth	12 mm
Capacity	800 mAh	# batteries	8

EAN CSU	5410853067658
EAN carton	5410853068204

# CSU / carton	20
----------------	----



**8xAA**  
RECHARGEABLE 1.2V  
HHR6-2000IT/8CB

BATTERY		CSU	
Diameter	14.5 mm	Width	117 mm
Height	50.5 mm	Height	53 mm
Weight	29.9 g	Depth	16 mm
Capacity	2000 mAh	# batteries	8

EAN CSU	5410853067610
EAN carton	5410853068167


# CSU / carton	40
----------------	----

its on

its on

When it's on





Our chargers meet all power needs for your rechargeable AA and AAA batteries.

## All chargers come in plastic free packaging.

Itson chargers are the perfect solution for any consumer looking for a reliable charger for AA & AAA rechargeable batteries. Our chargers are designed to charge your batteries quickly and effectively while also providing you with the peace of mind of sustainability. Our chargers are made of 50% of recyclable PCR and come in plastic free packaging.

# Energy For Life

For AA and AAA batteries





# its CHARGERS

For AA and  
AAA batteries



Itson chargers will be available in various sizes and pack versions.  
Below you find an overview of the available packs:



Since product specifications/availability may differ from country to country, the information contained herein should not be used or relied upon as a substitute for information that is available to you from our local dealers. Please contact your APS sales agent to discuss possibilities.

# It's on!

# itson

When it's on





**A mix of different technologies, depending on different usage, to power different kind of appliances.**

### **Coin lithium**

A high voltage battery, most suitable for car keys, watches, heart rate monitors or Wi-Fi devices.

### **Cylindrical lithium**

A higher energy density battery, suitable for Wi-Fi, alarm systems, camera or fire detecting systems.



**Energy For Life**



# its SPECIALTIES

Providing reliable energy for small appliances.

Our Itson specialty batteries are small in size, but big in performance, providing the most reliable energy for your small devices like car keys, garage door openers, alarm systems, etc.

The batteries offer reliable energy even in extreme temperatures (-30°C to 60°C).

Itson coin lithium batteries come in a child safe packaging.



Itson specialty batteries are available in various sizes and pack versions. Below you find an overview of the available packs:



Since product specifications/availability may differ from country to country, the information contained herein should not be used or relied upon as a substitute for information that is available to you from our local dealers. Please contact your APS sales agent to discuss possibilities.

# It's on!

**itson**  
When it's on





**1xCR2032**  
COIN LITHIUM 3V  
CR2032IT/1BP

BATTERY		CSU	
Diameter	20 mm	Width	50 mm
Height	3.2 mm	Height	95 mm
Weight	3 g	Depth	4.25 mm
		# batteries	1

EAN CSU	5410853067825
EAN carton	5410853068372

# CSU / inner carton	12
# CSU / outer carton	120



**2xCR2032**  
COIN LITHIUM 3V  
CR2032IT/2BP

BATTERY		CSU	
Diameter	20 mm	Width	50 mm
Height	3.2 mm	Height	95 mm
Weight	3 g	Depth	4.25 mm
		# batteries	2

EAN CSU	5410853067832
EAN carton	5410853068389

# CSU / inner carton	12
# CSU / outer carton	120



**4xCR2032**  
COIN LITHIUM 3V  
CR2032IT/4BP

BATTERY		CSU	
Diameter	20 mm	Width	83 mm
Height	3.2 mm	Height	120 mm
Weight	3 g	Depth	4.25 mm
		# batteries	4

EAN CSU	5410853067849
EAN carton	5410853068396

# CSU / inner carton	12
# CSU / outer carton	120



**6xCR2032**  
COIN LITHIUM 3V  
CR2032IT/6BW

BATTERY		CSU	
Diameter	20 mm	Width	174 mm
Height	3.2 mm	Height	120 mm
Weight	3 g	Depth	6 mm
		# batteries	6

EAN CSU	5410853067856
EAN carton	5410853068402

# CSU / inner carton	20
# CSU / outer carton	80



**1xCR2025**  
COIN LITHIUM 3V  
CR2025IT/1BP

BATTERY		CSU	
Diameter	20 mm	Width	50 mm
Height	2.5 mm	Height	95 mm
Weight	2.45 g	Depth	4.25 mm
		# batteries	1

EAN CSU	5410853067788
EAN carton	5410853068334

# CSU / inner carton	12
# CSU / outer carton	120



**2xCR2025**  
COIN LITHIUM 3V  
CR2025IT/2BP

BATTERY		CSU	
Diameter	20 mm	Width	50 mm
Height	2.5 mm	Height	95 mm
Weight	2.45 g	Depth	4.25 mm
		# batteries	2

EAN CSU	5410853067795
EAN carton	5410853068341

# CSU / inner carton	12
# CSU / outer carton	120



**4xCR2025**  
COIN LITHIUM 3V  
CR2025IT/4BP

BATTERY		CSU	
Diameter	20 mm	Width	83 mm
Height	2.5 mm	Height	120 mm
Weight	2.45 g	Depth	4.25 mm
		# batteries	4

EAN CSU	5410853067801
EAN carton	5410853068358

# CSU / inner carton	12
# CSU / outer carton	120



**6xCR2025**  
COIN LITHIUM 3V  
CR2025IT/6BW

BATTERY		CSU	
Diameter	20 mm	Width	174 mm
Height	2.5 mm	Height	120 mm
Weight	2.45 g	Depth	6 mm
		# batteries	6

EAN CSU	5410853067818
EAN carton	5410853068365

# CSU / inner carton	20
# CSU / outer carton	80





### 1xCR2016

COIN LITHIUM 3V  
CR2016IT/1BP

BATTERY		CSU	
Diameter	20 mm	Width	50 mm
Height	1.6 mm	Height	95 mm
Weight	1.7 g	Depth	4.25 mm
		# batteries	1

EAN CSU	5410853067740
EAN carton	5410853068297

# CSU / inner carton	12
# CSU / outer carton	120



### 2xCR2016

COIN LITHIUM 3V  
CR2016IT/2BP

BATTERY		CSU	
Diameter	20 mm	Width	50 mm
Height	1.6 mm	Height	95 mm
Weight	1.7 g	Depth	4.25 mm
		# batteries	2

EAN CSU	5410853067757
EAN carton	5410853068303

# CSU / inner carton	12
# CSU / outer carton	120



### 4xCR2016

COIN LITHIUM 3V  
CR2016IT/4BP

BATTERY		CSU	
Diameter	20 mm	Width	83 mm
Height	1.6 mm	Height	120 mm
Weight	1.7 g	Depth	4.25 mm
		# batteries	4

EAN CSU	5410853067764
EAN carton	5410853068310

# CSU / inner carton	12
# CSU / outer carton	120



### 6xCR2016

COIN LITHIUM 3V  
CR2016IT/6BW

BATTERY		CSU	
Diameter	20 mm	Width	174 mm
Height	1.6 mm	Height	120 mm
Weight	1.7 g	Depth	6 mm
		# batteries	6

EAN CSU	5410853067771
EAN carton	5410853068327

# CSU / inner carton	20
# CSU / outer carton	80



### 1xCR123

CYLINDRICAL LITHIUM 3V  
CR123IT/1BP

BATTERY		CSU	
Diameter	17.1 mm	Width	50 mm
Height	34.5 mm	Height	95 mm
Weight	17 g	Depth	18.5 mm
		# batteries	1

EAN CSU	5410853067863
EAN carton	5410853068419

# CSU / inner carton	10
# CSU / outer carton	100



### 1xCR2

CYLINDRICAL LITHIUM 3V  
CR2IT/1BP

BATTERY		CSU	
Diameter	15.6 mm	Width	50 mm
Height	27 mm	Height	95 mm
Weight	11.1 g	Depth	18.5 mm
		# batteries	1

EAN CSU	5410853067887
EAN carton	5410853068433

# CSU / inner carton	10
# CSU / outer carton	100

# its on

its on

When it's on






**Our hearing aid battery provides high performance, excellent for the latest generation of Bluetooth hearing aids.**

Subject to various temperature conditions, this battery is a reliable power source that lets you enjoy outdoor activities longer. With a steady high-performance level, this light weight new generation battery guarantees longer performance.

# Energy For Ears





# its HEARING AID

Zinc air batteries have a unique composition and contain the highest energy density.

Itson hearing aid batteries are unique, as only one of the active components (zinc) is inside the battery. When tearing off the tab, oxygen enters and activates the battery.


Zinc air batteries have the highest energy density of all electro-chemical systems while also being very small. This makes them excellent to power hearing aid devices, small high drain devices in need of a continuous discharge.



over-ear devices



in-ear devices



Itson zinc air batteries are available in various sizes and pack versions. Below you find an overview of the available packs:



Since product specifications/availability may differ from country to country, the information contained herein should not be used or relied upon as a substitute for information that is available to you from our local dealers. Please contact your APS sales agent to discuss possibilities.

# It's on!

## itson

When it's on





### 1xPR10

HEARING AID BATTERIES 1.4V  
PR230(10)IT/6RM

BATTERY		CSU	
Diameter	5.8 mm	Width	48 mm
Height	3.6 mm	Height	94 mm
Weight	0.30 g	Depth	4.7 mm
		# batteries	6
EAN CSU		5410853067917	
EAN carton		5410853068464	
# CSU / inner carton	10		
# CSU / outer carton	50		



### 1xPR13

HEARING AID BATTERIES 1.4V  
PR13(48)IT/6RM

BATTERY		CSU	
Diameter	7.9 mm	Width	48 mm
Height	5.4 mm	Height	94 mm
Weight	0.83 g	Depth	6.6 mm
		# batteries	6
EAN CSU		5410853067900	
EAN carton		5410853068457	
# CSU / inner carton	10		
# CSU / outer carton	50		



### 1xPR312

HEARING AID BATTERIES 1.4V  
PR312(41)IT/6RM

BATTERY		CSU	
Diameter	7.9 mm	Width	48 mm
Height	3.6 mm	Height	94 mm
Weight	0.58 g	Depth	4.7 mm
		# batteries	6
EAN CSU		5410853067924	
EAN carton		5410853068471	
# CSU / inner carton	10		
# CSU / outer carton	50		



### 1xPR675

HEARING AID BATTERIES 1.4V  
PR675(44)IT/6RM

BATTERY		CSU	
Diameter	11.6 mm	Width	48 mm
Height	5.4 mm	Height	94 mm
Weight	1.85 g	Depth	6.6 mm
		# batteries	6
EAN CSU		5410853067931	
EAN carton		5410853068488	
# CSU / inner carton	10		
# CSU / outer carton	50		

its on

**+** Since product specifications/availability may differ from country to country, the information contained herein should not be used or relied upon as a substitute for information that is available to you from our local dealers. Please contact your APS sales agent to discuss possibilities.

**its on**  
When it's on



# its POSM

COUNTER DISPLAY



FLOOR DISPLAY



ARCH



TOTEM



## Boost your sales

of Itson batteries and mobile energy solutions with our dedicated displays and POS materials.

All displays are 100% carton material.



Please note that the visuals are only simulations of how our Itson displays and POS materials could look like. Please contact your APS sales agent to discuss possibilities and timings.

# its on.

## its on

When it's on



itson

Copyright© Advanced Power Solutions NV (2023) - All rights reserved.

All product information contained in this brochure is for information purposes only. Since product specifications/availability may differ from country to country, the information contained herein should not be used or relied upon as a substitute for information that is available to you from our local dealers. The information contained herein is designed to be as comprehensive as possible.

Advanced Power Solutions NV reserves the right, however, to make changes at any time, without notice, to models, equipment, specifications and availability. 10/2023.

Promoter: Advanced Power Solutions NV, Nieuwe Gentsesteenweg 21, 1702 Groot-Bijgaarden, Belgium.